

ASUS TUF GAMING B760-PLUS WIFI

Šifra: 46730
 Kategorija proizvoda: MATIČNE PLOČE
 Proizvođač: ASUS

Cena: 20.600,00 rsd



Audio

| | | |
|------------------------------|--|---|
| Model: | Realtek Audio Shielding, Audio Cover, Jack-detection, Multi-streaming, Front Panel Jack-retasking, Premium audio capacitors, Dedicated audio PCB layers | |
| Napomena: | | |
| Fizičke karakteristike | Format: | ATX |
| | Dimenzije: | 305mm x 244mm |
| | Fiksirajući otvori: Tip memorije: | 8 DDR5 |
| | Memorijski slotovi: | 6x DDR5 (O.C.), 5.800MHz (O.C.), 6.200MHz (O.C.), 4.800MHz, 6.400MHz (O.C.), 5.200MHz, 5.000MHz, 5.600MHz, 5.400MHz, 6.600MHz (O.C.), 6.800MHz (O.C.), 7.000MHz (O.C.), 7.200MHz (O.C.) |
| Memorija | Podržane memorije: | |
| | | |
| Mreža | Žična mreža (LAN): | 1x Realtek 2.5Gb Ethernet |
| | Model: | Realtek |
| | Wi-Fi: | Da |
| Osnovne karakteristike | Procesorsko ležište (socket): | Intel 1700 |
| | Čipset: | Intel B760 |
| | Podržane tehnologije: | AURA G, AURA Sync, Fan Xpert 4, AI Noise Cancellation, DIGI+VRM, Overvoltage Protection, PC Cleaner, ProCool, ESD Guards, TUF LANGuard, UEFI Bios |
| Ostale karakteristike | | |
| | | |
| | | |
| Priključci na zadnjem panelu | DisplayPort priključci: | 1x DisplayPort |
| | HDMI priključci: | 1 |
| | Ukupno USB priključaka: | 6 |
| Reklamacioni period | Reklamacioni period: | 36 meseci |
| | Reklamacioni period: | 36 meseci |
| Skladišni interfejs | SATA priključci (ukupno): | 4 |
| | SATA priključci: | 4x SATA 6GBs |

| | | |
|------------------------------|---|--|
| Ostali skladišni interfejsi: | 3x M.2 | 1x PCI Express 3.0, 1x PCI Express 5.0 |
| Slotovi | PCI Express x16 slot: PCI Express x1 slot: | 2x PCI Express 3.0 |

Osnovne karakteristike

Procesorsko ležište (socket): Intel 1700

Čipset: Intel B760

Memorija

Tip memorije: DDR5

Memorijski slotovi: 4x DDR5

Podržane memorije: 6.000MHz (O.C.), 5.800MHz (O.C.), 6.200MHz (O.C.), 4.800MHz, 5.200MHz, 5.600MHz, 5.400MHz, 6.600MHz (O.C.), 6.800MHz (O.C.), 7.000MHz (O.C.), 6.400MHz (O.C.), 7.200MHz (O.C.), 5.000MHz

Maksimalna ukupna memorija: 192GB

Ostale osobine: Podrška za Extreme Memory Profile (XMP), OptiMem II

Slotovi

PCI Express x16 slot: 1x PCI Express 5.0, 1x PCI Express 3.0

PCI Express x1 slot: 2x PCI Express 3.0

Skladišni interfejsi

SATA priključci (ukupno): 4

SATA priključci: 4x SATA 6Gbps

Ostali skladišni interfejsi: 3x M.2

RAID RAID 0, RAID 1, RAID 5, RAID 10

Mreža

Žična mreža (LAN): 1x Realtek 2.5Gb Ethernet

Model: Realtek

Wi-Fi: Da

Wi-Fi standard: 2x2 Wi-Fi 6 (802.11 a/b/g/n/ac/ax)

Bluetooth: Da

Bluetooth verzija: 5.2

Audio

Model: Realtek

Napomena: Audio Shielding, Audio Cover, Dedicated audio PCB layers, Premium audio capacitors, Jack-detection, Multi-streaming, Front Panel Jack-retasking

Priključci na zadnjem panelu

DisplayPort priključci: 1x DisplayPort

HDMI priključci: 1

Ukupno USB priključaka: 6

Ukupno USB-C priključaka: 1

USB 3.2 priključci: 1 (Tip A) Gen2, 3 (Tip A) Gen1, 1 (Tip C) Gen2x2

USB 2.0 priključci: 1 (Tip A)

RJ-45 (LAN): 1

Audio: 5x 3.5mm

Ostali priključci: 1 x optical S/PDIF, 1x Wi-Fi Module

Unutrašnji priključci

Naponski priključci: 1 x 24 pin Main Power connector, 1 x 8-pin ATX 12V power connector, 1 x 4-pin ATX 12V power connector

USB 3.2: 1 (podrška za 2 USB 3.2 Gen 1 porta), 1 (podrška za USB-C port)

USB 2.0: 2 (podrška za 4 USB 2.0 porta)

Audio: 1x Front panel header

Ostali priključci: 1 x 4-pin AIO Pump header, 1 x 4-pin CPU OPT Fan header, 1 x 20-3 pin System Panel header with Chassis intrude function, 1 x 4-pin CPU Fan header, 1 x Clear CMOS header, 3 x Addressable Gen 2 headers, 1 x COM Port header, 1 x AURA RGB header, 4 x SATA 6Gb/s, 4 x 4-pin Chassis Fan headers, 1 x Thunderbolt™ (USB4®) header, 3 x M.2 slot (Key M)

Napomena Za iskorišćavanje određenih internih konektora potrebni su dodatni bracket-i ili priključci na kućištu

Ostale karakteristike

Podržane tehnologije: AURA Creator, AURA Sync, Fan Xpert 4, DIGI+VRM, Overvoltage Protection, PC Cleaner, ESD Guards, UEFI Bios, ProCool, TUF LANGuard, AI Noise Cancelation

Fizičke karakteristike

Format: ATX

Dimenzije: 305mm x 244mm

Fiksirajući otvori; 9

Pakovanje: Šrafovi, 2 x SATA 6Gb/s kabl

Reklamacioni period

Reklamacioni period: 36 meseci