

DSCL Računar Ryzen 9 7900X 32GB M.2 2TB RTX 5070 12GB 850W

Šifra: 86878
 Kategorija proizvoda: DESKTOP RAČUNARI
 Proizvođač: DSCL

Cena: 279.960,00 rsd



Platforma	
Tip procesora	CPU AM5 AMD Ryzen 9 7900X, 12C/24T,
Opis procesora	CPU AM5 AMD Ryzen 9 7900X, 12C/24T, 4.70-5.60GHz
Model procesora	BOX + CCPU hladnjak Raidmax LD360 ARGB - BLACK
Maticna ploca	MB AM5 ASRock X870 PRO RS
Tip grafičke karte:	Zasebna
Grafička karta (opis)	SVGA Zotac RTX 5070 Twin Edge 12GB GDDR7 192bit , ZT-B50700E-10P
Ram memorija	32GB
Opis memorije	RAM DIMM DDR5 32GB Crucial 5600MHz CL46 CT32G56C46U5
HDD1	NVMe 2 TB
Hard Disk (opis)	SSSD M.2 NVMe 2TB Samsung 990 EVO Plus 7150/6300MB/s MZ-V9S2T0BW
HDD2 (opis)	NEMA
Mrežni interfejs	2.5GBase-T, Realtek RTL8125BG
Audio	Realtek ALC897
Slotovi za proširenje	1x M.2/M-Key (PCIe 5.0 x4, 2280), 1x M.2/M-Key (PCIe 4.0 x4, 2280/2260/2242/2230), 1x M.2/M-Key (PCIe 4.0 x4/SATA, 2280), 1x M.2/E-Key (2230), 1x M.2/E-Key (2230, zauzet WiFi+BT modulom) 1x PCIe 5.0 x16, 1x PCIe 4.0 x16 (x4) 2x SATA 6Gb/s (X870), 2x SATA 6Gb/s (ASMedia ASM1061)
Priključci na zadnjem panelu	1x HDMI 2.1 (HDCP 2.3, iGPU), 2x USB4 sa DisplayPort 1.4 (40Gb/s, PD-Out 15W, ASMedia ASM1482), 4x USB-A 3.0 (5Gb/s), 6x USB-A 2.0 (480Mb/s), 1x Toslink S/PDIF izlaz (Realtek ALC1220), 2x 3.5mm (Realtek ALC1220), 1x RJ-45 (2.5GBase-T, Realtek RTL8125BG), 2x antenski priključak RP-SMA

Priključci na prednjem panelu	1x USB-C 3.0 (5 Gb/s), 2x USB-A 3.0 (5 Gb/s), 1x 3,5 mm priključak Ukupno linijskih ulaza/izlaza : 3x USB (2x USB-A, 1x USB-C), 1x audio (1x priključak)
Kućište	Kućište DeepCool CG580 4F V2 Crni, R-CG580-BKADA4-G-2
Napajanje	850W
Napajanje (opis)	Napajanje 850W Chieftec VEGA 80+ Gold, GEN5 PPG-850-S
Operativni sistem	Nema

Platforma	AMD
Tip procesora	CPU AM5 AMD Ryzen 9 7900X, 12C/24T,
Opis procesora	CPU AM5 AMD Ryzen 9 7900X, 12C/24T, 4.70-5.60GHz
Model procesora	BOX + CCPU hladnjak Raidmax LD360 ARGB - BLACK
Maticna ploca	MB AM5 ASRock X870 PRO RS
Tip grafičke karte:	Zasebna
Grafička karta (opis)	SVGA Zotac RTX 5070 Twin Edge 12GB GDDR7 192bit , ZT-B50700E-10P
Ram memorija	32GB
Opis memorije	RAM DIMM DDR5 32GB Crucial 5600MHz CL46 CT32G56C46U5
HDD1	NVMe 2 TB
Hard Disk (opis)	SSSD M.2 NVMe 2TB Samsung 990 EVO Plus 7150/6300MB/s MZ-V9S2T0BW
HDD2 (opis)	NEMA
Mrežni interfejs	2.5GBase-T, Realtek RTL8125BG
Audio	Realtek ALC897
Slotovi za proširenje	1x M.2/M-Key (PCIe 5.0 x4, 2280), 1x M.2/M-Key (PCIe 4.0 x4, 2280/2260/2242/2230), 1x M.2/M-Key (PCIe 4.0 x4/SATA, 2280), 1x M.2/E-Key (2230), 1x M.2/E-Key (2230, zauzet WiFi+BT modulom) 1x PCIe 5.0 x16, 1x PCIe 4.0 x16 (x4) 2x SATA 6Gb/s (X870), 2x SATA 6Gb/s (ASMedia ASM1061)
Priključci na zadnjem panelu	1x HDMI 2.1 (HDCP 2.3, iGPU), 2x USB4 sa DisplayPort 1.4 (40Gb/s, PD-Out 15W, ASMedia ASM1480), 4x USB-A 3.0 (5Gb/s), 6x USB-A 2.0 (480Mb/s), 1x Toslink S/PDIF izlaz (Realtek ALC1220), 2x 3.5mm (Realtek ALC1220), 1x RJ-45 (2.5GBase-T, Realtek RTL8125BG), 2x antenski priključak RP-SMA
Priključci na prednjem panelu	1x USB-C 3.0 (5 Gb/s), 2x USB-A 3.0 (5 Gb/s), 1x 3,5 mm priključak Ukupno linijskih ulaza/izlaza : 3x USB (2x USB-A, 1x USB-C), 1x audio (1x priključak)
Kućište	Kućište DeepCool CG580 4F V2 Crni, R-CG580-BKADA4-G-2
Napajanje	850W
Napajanje (opis)	Napajanje 850W Chieftec VEGA 80+ Gold, GEN5 PPG-850-S

Operativni sistem	Nema
-------------------	------